

## Mint Chip 1:10:1

METRC Batch:  
METRC Sample:  
**Sample ID: 2306ENC7299\_1183**  
Strain: Mint Chip  
Matrix: Concentrates & Extracts  
Type: Vape  
  
Batch#: MINC33322A

Collected: 06/29/2023  
Received: 06/29/2023  
Completed: 07/03/2023  
Sample Size: 10 units;

Distributor  
**Lotus Brands, LLC**  
  
Lic. #  
3334 E. Coast Hwy,  
#372,  
Corona Del Mar, CA, 92625



## Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	06/29/2023	LC-DAD	Complete
Pesticides	06/29/2023	LC-MS	Pass
Residual Solvents	06/29/2023	HS-GC-MS	Pass

## Cannabinoids

Method: SOP EL-CANNABINOIDS

<b>ND</b> Total THC	<b>48.549 %</b> Total CBD	<b>62.908 %</b> Total Cannabinoids
------------------------	------------------------------	---------------------------------------

Analytes	LOD	LOQ	Result	Result
	mg/g	mg/g	%	mg/g
THCa	0.248	0.751	ND	ND
Δ9-THC	0.265	0.803	ND	ND
Δ8-THC	0.293	0.888	ND	ND
THCVa	0.286	0.866	ND	ND
THCV	0.296	0.896	0.295	2.95
CBDa	0.260	0.787	ND	ND
CBD	0.250	0.759	48.549	485.49
CBN	0.236	0.715	3.875	38.75
CBGa	0.282	0.855	ND	ND
CBG	0.260	0.788	5.035	50.35
CBCa	0.230	0.697	ND	ND
CBC	0.270	0.819	5.152	51.52
<b>Total THC</b>			<b>ND</b>	<b>ND</b>
<b>Total CBD</b>			<b>48.549</b>	<b>485.49</b>
<b>Total Cannabinoids</b>			<b>62.908</b>	<b>629.08</b>
<b>Sum of Cannabinoids</b>			<b>62.908</b>	<b>629.08</b>

1 Unit = 0.5g;

Total THC = THCa \* 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa \* 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms \* 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER



*Kevin Nolan*  
Kevin Nolan  
Laboratory Director | 07/03/2023



## Mint Chip 1:10:1

METRC Batch:  
METRC Sample:  
**Sample ID: 2306ENC7299\_1183**  
Strain: Mint Chip  
Matrix: Concentrates & Extracts  
Type: Vape

Collected: 06/29/2023  
Received: 06/29/2023  
Completed: 07/03/2023  
Sample Size: 10 units;

Distributor  
**Lotus Brands, LLC**  
  
Lic. #  
3334 E. Coast Hwy,  
#372,  
Corona Del Mar, CA, 92625

Batch#: MINC33322A

### Pesticides

Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.005	0.02	0.10	ND	Pass	Fludioxonil	0.01	0.05	0.10	ND	Pass
Acephate	0.002	0.01	0.10	ND	Pass	Hexythiazox	0.005	0.02	0.10	ND	Pass
Acequinocyl	0.01	0.02	0.10	ND	Pass	Imazalil	0.05	0.1	0.05	ND	Pass
Acetamiprid	0.005	0.02	0.10	ND	Pass	Imidacloprid	0.005	0.02	5.00	ND	Pass
Aldicarb	0.05	0.1	0.05	ND	Pass	Kresoxim Methyl	0.005	0.02	0.10	ND	Pass
Azoxystrobin	0.005	0.02	0.10	ND	Pass	Malathion	0.02	0.05	0.50	ND	Pass
Bifenazate	0.005	0.01	0.10	ND	Pass	Metalaxyl	0.002	0.005	2.00	0.013	Pass
Bifenthrin	0.02	0.05	3.00	0.072	Pass	Methiocarb	0.05	0.1	0.05	ND	Pass
Boscalid	0.02	0.05	0.10	ND	Pass	Methomyl	0.01	0.02	1.00	ND	Pass
Captan	0.2	0.3	0.70	ND	Pass	Parathion Methyl	0.02	0.05	0.02	ND	Pass
Carbaryl	0.02	0.05	0.50	ND	Pass	Mevinphos	0.02	0.05	0.02	ND	Pass
Carbofuran	0.05	0.1	0.05	ND	Pass	Myclobutanil	0.005	0.01	0.10	ND	Pass
Chlorantraniliprole	0.002	0.01	10.00	ND	Pass	Naled	0.01	0.02	0.10	ND	Pass
Chlordane	0.05	0.1	0.05	ND	Pass	Oxamyl	0.005	0.01	0.50	ND	Pass
Chlorfenapyr	0.05	0.1	0.05	ND	Pass	Paclobutrazol	0.05	0.1	0.05	ND	Pass
Chlorpyrifos	0.05	0.1	0.05	ND	Pass	PCNB	0.02	0.05	0.10	ND	Pass
Clofentezine	0.01	0.02	0.10	ND	Pass	Permethrin	0.02	0.05	0.50	ND	Pass
Coumaphos	0.02	0.05	0.02	ND	Pass	Phosmet	0.01	0.02	0.10	ND	Pass
Cyfluthrin	0.05	0.1	2.00	ND	Pass	Piperonyl Butoxide	0.02	0.05	3.00	ND	Pass
Cypermethrin	0.1	0.2	1.00	ND	Pass	Prallethrin	0.005	0.02	0.10	ND	Pass
Daminozide	0.02	0.05	0.02	ND	Pass	Propiconazole	0.005	0.01	0.10	ND	Pass
Diazinon	0.002	0.01	0.10	ND	Pass	Propoxure	0.05	0.1	0.05	ND	Pass
Dichlorvos	0.02	0.05	0.02	ND	Pass	Pyrethrins	0.02	0.05	0.50	ND	Pass
Dimethoate	0.02	0.05	0.02	ND	Pass	Pyridaben	0.005	0.01	0.10	ND	Pass
Dimethomorph	0.005	0.02	2.00	ND	Pass	Spinetoram	0.005	0.01	0.10	ND	Pass
Ethoprophos	0.05	0.1	0.05	ND	Pass	Spinosad	0.005	0.01	0.10	ND	Pass
Etofenprox	0.05	0.1	0.05	ND	Pass	Spiromesifen	0.01	0.02	0.10	ND	Pass
Etoazole	0.005	0.02	0.10	ND	Pass	Spirotetramat	0.005	0.01	0.10	ND	Pass
Fenhexamid	0.005	0.02	0.10	ND	Pass	Spiroxamine	0.05	0.1	0.05	ND	Pass
Fenoxycarb	0.05	0.1	0.05	ND	Pass	Tebuconazole	0.005	0.01	0.10	ND	Pass
Fenpyroximate	0.005	0.02	0.10	ND	Pass	Thiacloprid	0.02	0.05	0.02	ND	Pass
Fipronil	0.05	0.1	0.05	ND	Pass	Thiamethoxam	0.005	0.01	5.00	ND	Pass
Flonicamid	0.01	0.02	0.10	ND	Pass	Trifloxystrobin	0.005	0.01	0.10	<LOQ	Pass

Date Tested: 06/29/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



*Kevin Nolan*

Kevin Nolan  
Laboratory Director | 07/03/2023



## Mint Chip 1:10:1

METRC Batch:  
METRC Sample:  
**Sample ID: 2306ENC7299\_1183**  
Strain: Mint Chip  
Matrix: Concentrates & Extracts  
Type: Vape  
  
Batch#: MINC33322A

Collected: 06/29/2023  
Received: 06/29/2023  
Completed: 07/03/2023  
Sample Size: 10 units;

Distributor  
**Lotus Brands, LLC**  
  
Lic. #  
3334 E. Coast Hwy,  
#372,  
Corona Del Mar, CA, 92625

### Residual Solvents

Method: EL-RES\_SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Acetone	33.00	100.00	5000	ND	Pass
Acetonitrile	10.00	30.00	410	ND	Pass
Benzene	0.09	0.28	1	ND	Pass
Butane	10.00	30.00	5000	ND	Pass
Chloroform	0.10	0.29	1	ND	Pass
Ethanol	10.00	30.00	5000	<LOQ	Pass
Ethyl-Acetate	10.00	30.00	5000	ND	Pass
Ethyl-Ether	10.00	30.00	5000	ND	Pass
Ethylene Oxide	0.08	0.24	1	ND	Pass
Heptane	10.00	30.00	5000	ND	Pass
n-Hexane	10.00	30.00	290	ND	Pass
Isopropanol	10.00	30.00	5000	ND	Pass
Methanol	10.00	30.00	3000	ND	Pass
Methylene-Chloride	0.10	0.31	1	ND	Pass
1,2-Dichloro-Ethane	0.10	0.29	1	ND	Pass
Pentane	10.00	30.00	5000	ND	Pass
Propane	10.00	30.00	5000	ND	Pass
Toluene	10.00	30.00	890	ND	Pass
Xylenes	20.00	60.00	2170	ND	Pass
Trichloroethene	0.10	0.29	1	ND	Pass

Date Tested: 06/29/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



*Kevin Nolan*

Kevin Nolan  
Laboratory Director | 07/03/2023

